

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(shank and cam\$5 and tool and holder and thread\$6 and (draw or rod)).clm.	US-PGPUB	OR	ON	2005/07/06 13:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	403	(409/231).CCLS.	USPAT; USOCR	OR	OFF	2005/07/06 10:00
L3	481	(409/234).CCLS.	USPAT; USOCR	OR	OFF	2005/07/06 10:00
L4	415	(279/8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 10:00
L5	174	(279/143).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 10:00
L6	214	(279/145).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 10:00
L7	39	((409/232).CCLS.) and thread\$4 and bore and taper\$4 and (tool adj holder)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L8	878	((409/231).CCLS.) or ((409/234).CCLS.) or ((409/233,232,231,234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143).CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and screw	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L9	343	((409/231).CCLS.) or ((409/234).CCLS.) or ((409/233,232,231,234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143).CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and screw and tool adj holder	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L10	674	spindle and screw and cam\$5 and tool adj holder	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L11	101556	("409") or ("279") or ("408")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 10:00
L12	1341	(82/158).CCLS.	USPAT; USOCR	OR	OFF	2005/07/06 10:00

L13	419	(82/159).CCLS.	USPAT; USOCR	OR	OFF	2005/07/06 10:00
L14	141	(82/160).CCLS.	USPAT; USOCR	OR	OFF	2005/07/06 10:00
L15	1543	((82/158).CCLS.) or ((82/159). CCLS.) or ((82/160).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L16	315	((82/158).CCLS.) or ((82/159). CCLS.) or ((82/160).CCLS.) and (screw or thread) and tool adj holder	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L17	417	(409/233).CCLS.	USPAT; USOCR	OR	OFF	2005/07/06 10:00
L18	312	(409/232).CCLS.	USPAT; USOCR	OR	OFF	2005/07/06 10:00
L19	2249	((409/231).CCLS.) or ((409/234). CCLS.) or ((409/233,232,231, 234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143). CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L20	38	((409/232).CCLS.) and thread\$4 and bore and taper\$4 and (tool adj holder) and spindle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L21	116	((409/233).CCLS.) and screw) and bore	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L22	7	("2925016" "3028770" "3374711" "3760958" "4751916" "4934103" "5140773").PN.	USPAT	OR	ON	2005/07/06 10:00
L23	3	((409/233).CCLS.) and differential near screw	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L24	16	((409/231).CCLS.) or ((409/234). CCLS.) or ((409/233,232,231, 234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143). CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and differential near screw	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00

L25	26	("0896663" "1370598" "1463176" "1489976" "2880007" "3030119" "3353833" "3701537" "3719367" "4226562" "4396320" "4451185" "4573824" "4575293" "4642005" "4643623" "4710079" "4722645" "4747735" "4834596" "4938490" "5372465" "5593258" "5613692" "5622373" "5957467").PN.	USPAT	OR	ON	2005/07/06 10:00
L26	16	differential near screw and cam\$5 and tool adj holder	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L27	5	(((409/231).CCLS.) or ((409/234). CCLS.) or ((409/233,232,231, 234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143). CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and differential near screw and cam\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L28	74	(((409/231).CCLS.) or ((409/234). CCLS.) or ((409/233,232,231, 234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143). CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and screw and tool adj holder and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L29	57	(((409/231).CCLS.) or ((409/234). CCLS.) or ((409/233,232,231, 234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143). CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and screw and tool adj holder and cam and thread\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L30	10	("4715753" "4745673" "4758122" "4784542" "4804301" "4836068" "4844671" "4863323" "4951578" "4978262").PN.	USPAT	OR	ON	2005/07/06 10:00
L31	16	"5193954".URPN.	USPAT	OR	ON	2005/07/06 10:00
L32	267	(spindle and screw and cam\$5 and tool adj holder) and thread	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00

L33	48	(((409/231).CCLS.) or ((409/234).CCLS.) or ((409/233,232,231,234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143).CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and screw and tool adj holder and cam and thread\$4 and spindle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L34	121	((spindle and screw and cam\$5 and tool adj holder) and thread) and (((("409") or ("279") or ("408"))).CLAS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L35	16	"5193954".URPN.	USPAT	OR	ON	2005/07/06 10:00
L36	743	(409/233,232,231,234).CCLS.	USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 10:00
L37	347	(((409/231).CCLS.) or ((409/234).CCLS.) or ((409/233,232,231,234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143).CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and screw) and spindle and taper\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L38	4	("2667820" "3038386" "3374711" "3823642").PN.	USPAT	OR	ON	2005/07/06 10:00
L39	2	"6264409".URPN.	USPAT	OR	ON	2005/07/06 10:00
L40	13	"891056"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L41	103	(((409/231).CCLS.) or ((409/234).CCLS.) or ((409/233,232,231,234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143).CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and screw) and spindle and taper\$5 and cam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L42	60	(((409/231).CCLS.) or ((409/234).CCLS.) or ((409/233,232,231,234).CCLS.) or ((409/233).CCLS.) or ((279/8).CCLS.) or ((279/143).CCLS.) or ((279/145).CCLS.) or ((409/232).CCLS.)) and screw and tool adj holder and draw adj bar	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L43	503	(((82/158).CCLS.) or ((82/159).CCLS.) or ((82/160).CCLS.)) and (screw or thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L44	1	"4621960".PN.	USPAT	OR	ON	2005/07/06 10:00

L45	120	((82/158).CCLS.) or ((82/159).CCLS.) or ((82/160).CCLS.)) and (screw or thread) and tool adj holder and spindle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L46	180	((409/233).CCLS.) and screw	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L47	2049	(403/373,374.1,374.2,374.3,374.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 10:00
L48	985	(411/60.2,55,57.1,271,325).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 10:00
L49	2338	L47 or L48	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L50	861	L49 and screw	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L51	464	L49 and screw and thread	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L52	18	L51 and differential	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L53	862	differential adj screw	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L54	19	L53 and tool adj holder and spindle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L55	4	"5447485"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00
L56	6	"4856944"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/06 10:00